

Last Time

Some motivating real-world examples matching machines and jobs matching professors and courses matching rooms and courses matching students and internships matching kidney donors and patients

How do you solve a prot	olem like this?
-------------------------	-----------------

- I. Formulate the problem
- 2. **Ask**: Is there a trivial algorithm? Find and analyze.
- 3. **Ask**: Is there a better algorithm? Find and analyze.

Bipartite maximum matching problem	
<b>Input</b> : A <u>bipartite</u> graph $G = (X, Y, E)$ .	
<b>Output</b> : A maximum matching in G.	











Important Note	
<b>Theorem:</b> A matching <b>M</b> is maximum <b>if and only if</b> there is <b>no</b> augmenting path with respect to <b>M</b> .	
This theorem holds for <u>all</u> graphs. The algorithm works for <u>bipartite</u> graphs.	

Hall's Theorem





































## The Gale-Shapley proposal algorithm

While there is a man **m** who is not matched:

- Let w be the highest ranked woman in m's list to whom m has not proposed yet.
- If w is unmatched, or w prefers m over her current match:
  - Match **m** and **w**. (The previous match of **w** is now unmatched.)

#### Cool, but does it work correctly?

- Does it always terminate?
- Does it always find a stable matching?
- (Does a stable matching always exist?)

### Gale-Shapley algorithm analysis

#### **Theorem:**

The Gale-Shapley proposal algorithm always terminates with a stable matching after at most  $n^2$  iterations.

A *constructive* proof that a stable matching always exists.

3 things to show:

# Gale-Shapley algorithm analysis 1. Number of iterations is at most $n^2$ .

# Gale-Shapley algorithm analysis

- 2. The algorithm terminates with a perfect matching.
- If we don't have a perfect matching:
  - A man is not matched
    - $\implies$  All women must be matched
      - $\implies$  All men must be matched.

Contradiction

# Gale-Shapley algorithm analysis

- 2. The algorithm terminates with a perfect matching.
- If we don't have a perfect matching:
  - A man is not matched
    - $\implies$  All women must be matched
  - ⇒ All men must be matched. Contradiction

## 

#### **Further questions**

#### **Theorem:**

The Gale-Shapley proposal algorithm always terminates with a stable matching after at most  $n^2$  iterations.

Does the order of how we pick men matter? Would it lead to different matchings?

Is the algorithm "fair"? Does this algorithm favor men or women or neither?

## Further questions

**m** and **w** are *valid partners* if there is a stable matching in which they are matched.

best(m) = highest ranked valid partner of m

**Theorem:** 

## Further questions

worst(w) = lowest ranked valid partner of w

#### **Theorem:**

#### **Real-world** applications

Variants of the Gale-Shapley algorithm is used for:

- matching medical students and hospitals
- matching students to high schools (e.g. in New York)
- matching students to universities (e.g. in Hungary)
- matching users to servers
  - :

